

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	10128	net shap\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L18	90036	gear near (tooth or teeth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L19	120	L17 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L20	3	"802141".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L21	1416644	powder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L22	55	L19 and L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L23	0	amateau-maurice.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L24	0	Amateau-Maurice.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L25	0	Amateau-Maurice-J.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L26	14	Amateau-Maurice-F.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L27	278	power transmission gear.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11

L28	14	Amateau-Maurice-F.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L29	0	L27 and L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L30	1	("5711187").PN.	USPAT; USOCR	OR	OFF	2009/09/25 17:11
L31	2	rolling die same power transmission gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L32	8	rolling die same transmission gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L33	1	rolling die near grinding wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L34	26	rolling die same grinding wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L35	470	rolling die.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L36	7626	gear and grinding wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L37	1	L35 and L36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L38	43464	grinding wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L39	16	L35 and L38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L40	4	grinding wheel near dressing same rolling die	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11

L41	15	sonti-nagesh.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L42	4	grinding wheel near dressing and rolling die	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L43	90	grinding wheel near dressing and die	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L44	1	grinding wheel near dressing near die	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L45	27	grinding wheel near dressing same die	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L46	7206450	method.ti. or process. ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L47	4340	transmission gear.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L48	241	L46 and L47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L49	9	((("5,711,187") or ("5,221,513") or ("5,391,862") or ("5,451,275") or ("5,656,106") or ("5,799,398") or ("6,007,762") or ("6,126,892") or ("6,264,768")).PN.	USPAT; USOCR	OR	OFF	2009/09/25 17:11
L50	14	Amateau-Maurice-F.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L51	6	L50 and rotatably adj supporting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L52	1	L50 and nominally involute surface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11

L53	1	L50 and grinding wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L54	1	L50 and rolling die blank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L55	1	L50 and die blank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L56	14	Amateau-Maurice-F.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L57	6	"root/fillet"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L58	10128	net shap\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L59	90036	gear near (tooth or teeth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L60	120	L58 and L59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L61	15	sonti-nagesh.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L62	14	Amateau-Maurice-F.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L63	0	rolling die near tip radius	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L64	3	rolling die same tip radius	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L65	33	intersecting axis gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11

L66	73713	hypoid gear or worm gear or spiral bevel gear or straight bevel gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L67	8	L65 and L66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L68	135378	power transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L69	3436	L66 and L68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L70	7694	intersecting axis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L71	27	L69 AND L70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L72	53412	power transmission. ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L73	532	L72 and L66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L74	4	L70 and L73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L75	1244055	transmission.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L76	3843	L75 and L66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L77	6	L70 and L76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L78	12931	hypoid gear.ab. or worm gear.ab. or spiral bevel gear.ab. or straight bevel gear.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11

L79	397	L78 and L68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L80	5	L79 and L70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L81	10584	"0.014" and "0.018"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L82	0	L78 and L81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L83	6	("4373973" "4589935" "4675488" "4744836" "4855556" "4894501").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/25 17:11
L84	19	("5711187").URPN.	USPAT	OR	OFF	2009/09/25 17:11
L85	128473	homologous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L86	15724	gear.ab. and rolling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/25 17:11
L87	6	L85 and L86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/25 17:11
L88	10128	net shap\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L89	90036	gear near (tooth or teeth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L90	120	L88 and L89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L91	3	"802141".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11

L92	1416644	powder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L93	55	L90 and L92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L94	0	amateau-maurice.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L95	0	Amateau-Maurice.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L96	0	Amateau-Maurice-J.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L97	14	Amateau-Maurice-F.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L98	278	power transmission gear.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L99	14	Amateau-Maurice-F.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L100	0	L98 and L99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L101	1	("5711187").PN.	USPAT; USOCR	OR	OFF	2009/09/25 17:11
L102	2	rolling die same power transmission gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L103	8	rolling die same transmission gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L104	1	rolling die near grinding wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11

L105	26	rolling die same grinding wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L106	470	rolling die.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L107	7626	gear and grinding wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L108	1	L106 and L107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L109	43464	grinding wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L110	16	L106 and L109	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L111	4	grinding wheel near dressing same rolling die	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L112	15	sonti-nagesh.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L113	4	grinding wheel near dressing and rolling die	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L114	90	grinding wheel near dressing and die	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L115	1	grinding wheel near dressing near die	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L116	27	grinding wheel near dressing same die	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L117	7206450	method.ti. or process. ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11

L118	4340	transmission gear.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L119	241	L117 and L118	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L120	9	((("5,711,187") or ("5,221,513") or ("5,391,862") or ("5,451,275") or ("5,656,106") or ("5,799,398") or ("6,007,762") or ("6,126,892") or ("6,264,768"))).PN.	USPAT; USOCR	OR	OFF	2009/09/25 17:11
L121	14	Amateau-Maurice-F.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L122	6	L121 and rotatably adj supporting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L123	1	L121 and nominally involute surface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L124	1	L121 and grinding wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L125	1	L121 and rolling die blank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L126	1	L121 and die blank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L127	14	Amateau-Maurice-F.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L128	6	"root/fillet"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L129	10128	net shap\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11

L130	90036	gear near (tooth or teeth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L131	120	L129 and L130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/09/25 17:11
L132	15	sonti-nagesh.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L133	14	Amateau-Maurice-F.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L134	0	rolling die near tip radius	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L135	3	rolling die same tip radius	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L136	33	intersecting axis gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L137	73713	hypoid gear or worm gear or spiral bevel gear or straight bevel gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L138	8	L136 and L137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L139	135378	power transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L140	3436	L137 and L139	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L141	7694	intersecting axis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L142	27	L140 AND L141	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11

L143	53412	power transmission. ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L144	532	L143 and L137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L145	4	L141 and L144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L146	1244055	transmission.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L147	3843	L146 and L137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L148	6	L141 and L147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L149	12931	hypoid gear.ab. or worm gear.ab. or spiral bevel gear.ab. or straight bevel gear. ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L150	397	L149 and L139	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L151	5	L150 and L141	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L152	10584	"0.014" and "0.018"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L153	0	L149 and L152	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/09/25 17:11
L154	6	("4373973" "4589935" "4675488" "4744836" "4855556" "4894501").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/25 17:11
L155	19	("5711187").URPN.	USPAT	OR	OFF	2009/09/25 17:11

L156	128473	homologous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/09/25 17:11
L157	15724	gear.ab. and rolling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/25 17:11
L158	6	L156 and L157	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/25 17:11

9/ 25/ 2009 5:13:42 PM

C:\Documents and Settings\ckessler\My Documents\EAST\Workspaces\10802141 - ausforming
PM gears.pts.wsp